

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,177,932

Issued: February 13, 2007

Name of Patentee: Newton Scientific, Inc.

Title of Invention: X-RAY DETECTOR FOR FEEDBACK STABILIZATION
OF AN X-RAY TUBE

**Attention Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

**REQUEST FOR CERTIFICATE OF CORRECTION
OF PATENT FOR PTO MISTAKE (37 CFR 1.322(a))**

1. Attached, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.
2. The exact page and line number where the errors are shown correctly in the application file are:

In claim 1, Col. 5, line 45, please delete “provides” and replace with “adjusts”.

In claim 9, Col. 6, line 11, please delete “inpinges” and replace with “impinges”.

In claim 16, Col. 6, line 29, please delete “ration” and replace with “ratio”.

In claim 27, Col. 7, line 5, please delete “The method” and replace with “A method”.

In claim 27, Col. 7, line 11, please delete “X-ray emitted” and replace with “X-rays emitted”.

In claim 27, Col. 7, line 14, please delete “reponsive” and replace with “responsive”.

In claim 31, Col. 8, line 1, please delete “The method” and replace with “A method”.

In claim 31, Col. 8, line 7, please delete “ouput” and replace with “output”.

In claim 31, Col. 8, line 12, please delete “X-ray that” and replace with “X-rays that”.

In claim 31, Col. 8, line 14, please delete "insure" and replace with "ensure".

In claim 33, Col. 8, line 21, please delete "substatially" and replace with "substantially".

3. Please send the Certificate to:

Name: William E. Hilton

Address: Gauthier & Connors, LLP

225 Franklin Street, Suite 2300

Boston, Massachusetts 02110

Reg. No.:35,192

SIGNATURE OF ATTORNEY



Tel. No.: (617) 426-9180
Extension 111

William E. Hilton
Gauthier & Connors, LLP
225 Franklin Street, Suite 2300
Boston, MA 02110

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,177,392
APPLICATION NO.: 10/659,065
ISSUE DATE : February 13, 2007
INVENTOR(S) : Ruth E. Shefer et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 1, Col. 5, line 45, please delete "provides" and replace with "adjusts".

In claim 9, Col. 6, line 11, please delete "inpinges" and replace with "impinges".

In claim 16, Col. 6, line 29, please delete "ration" and replace with "ratio".

In claim 27, Col. 7, line 5, please delete "The method" and replace with "A method".

In claim 27, Col. 7, line 11, please delete "X-ray emitted" and replace with "X-rays emitted".

In claim 27, Col. 7, line 14, please delete "reponsive" and replace with "responsive".

In claim 31, Col. 8, line 1, please delete "The method" and replace with "A method".

In claim 31, Col. 8, line 7, please delete "ouput" and replace with "output".

In claim 31, Col. 8, line 12, please delete "X-ray that" and replace with "X-rays that".

In claim 31, Col. 8, line 14, please delete "insure" and replace with "ensure".

In claim 33, Col. 8, line 21, please delete "substatially" and replace with "substantially".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Gauthier & Connors, LLP
225 Franklin Street, Suite 2300
Boston, MA 02110

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.